



WIRE COLORS

Black		AC and DC power circuits
Light blue		Neutral conductor
Green-Yellow		Ground conductor
Blue		DC control circuits
Orange		Excepted circuits
Red		AC control circuits

PROJECT DETAILS

PROJECT N°:	
CUSTOMER:	-
REFERENCE:	-

ENCLOSURE DETAILS

TYPE:	MAS0606021
DIMENSIONS:	600 x 600 x 210 mm
MATERIAL:	Painted Steel
COLOR:	RAL 7035
IP RATING:	IP 54
CABLE ENTRY:	Bottom Side

CONNECTION DETAILS

MAIN SUPPLY:	230V 1L+N
FREQUENCY:	50Hz
RECOMMENDED UPSTREAM FUSE:	C25A
CONNECTED POWER:	2100W




Index

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE
MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN
PERMISSION OF THE MANUFACTURER IS PROHIBITED.

[illegible]

[illegible]

0	1	2	3	4	5	6	7	8	9	Notes
REV	DATE	DESCRIPTION	DRN	CHK						
TITLE: AquaUV Pool Line AQS-PL50 230V 1L+N 50Hz External Layout Rear View										
Project:										
CUSTOMER: -										
REFERENCE: -										
FUNCTION: =PCM										
LOCATION:										
DRAWING N°: AQS-PL50_Pool_230V 1L+NREV: X00										
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.										
SHEET N°: 2 OF 5 SHEET SEQUENCE N°: 4 OF 26										





REV	DATE	DESCRIPTION	DRN	CHK
-----	------	-------------	-----	-----



TITLE:				
AquaUV Pool Line				
AQS-PL50				
230V 1L+N 50Hz				
Internal Layout				
Project:				
CUSTOMER: -				
REFERENCE: -				
FUNCTION: =PCM				
LOCATION:				
DRAWING N°: AQS-PL50_Pool_230V 1L+NREV: X00				

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE
MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN
PERMISSION OF THE MANUFACTURER IS PROHIBITED.





REV	DATE	DESCRIPTION	DRN	CHK



AquaService

TITLE:

AquaUV Pool Line

AQS-PL50

230V 1L+N 50Hz

24Vdc Circuit

Project:

CUSTOMER: -

REFERENCE: -

FUNCTION: =PCM


LOCATION:


DRAWING N°: AQS-PL50_Pool_230V 1L+NREV: X00


PROPRIETARY AND CONFIDENTIAL


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.

SHEET N°: 3 OF 13 SHEET SEQUENCE N°: 10 OF 26









REV	DATE	DESCRIPTION	DRN	CHK



TITLE:
AquaUV Pool Line
AQS-PL50
230V 1L+N 50Hz
Pool Controller Remote Inputs & Cabinet Temp

Project:

CUSTOMER: -

REFERENCE: -


FUNCTION: =PCM


LOCATION:


DRAWING N°: AQS-PL50_Pool_230V 1L+NREV: X00


PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.


SHEET N°: 7 OF 13 SHEET SEQUENCE N°: 14 OF 26












[illegible]

[illegible]

[illegible]

[illegible]



[illegible]