WIRE COLORS

Black

AC and DC power circuits

Light blue



Neutral conductor

Green-Yellow

Ground conductor

Blue



DC control circuits

Orange

Excepted circuits

Red



AC control circuits

PROJECT DETAILS

PROJECT N°:	
CUSTOMER:	-
REFERENCE:	-

CONNECTION DETAILS

MAIN SUPPLY:	400V3L+N
FREQUENCY:	50Hz
RECOMMENDED UPSTREAM FUSE:	C32A
CONNECTED POWER:	7500W

ENCLOSURE DETAILS

TYPE:	MAS0808030
DIMENSIONS:	800 x 800 x 300 mm
MATERIAL:	Painted Steel
COLOR:	RAL 7035
IP RATING:	IP 54
CABLE ENTRY:	Bottom Side

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLEPROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.

Index

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.

SHEET SEQUENCE N°	SHEET N°	SECTION	DESCRIPTION	
1	1	Frontsheet	Project overview	
2	1	Index	Index	
3	1	Panel layout	External layout front, side and bottom view	
4	2	Panel layout	External layout rear view	
5	3	Panel layout	Internal layout	
6	4	Panel layout	Terminal layout	
7	1	Circuit Diagrams	Main power supply	
8	2	Circuit Diagrams	230Vac circuit and fans	
9	3	Circuit Diagrams	24Vdc circuit	
10	4	Circuit Diagrams	Lamp 1 circuit	
11	5	Circuit Diagrams	Lamp 2 circuit	
12	6	Circuit Diagrams	Lamp 3 circuit	
13	7	Circuit Diagrams	Spare	
14	8	Circuit Diagrams	Pool Controller supply & current detection	
15	9	Circuit Diagrams	Pool Controller Remote inputs & cabinet temp.	
16	10	Circuit Diagrams	Pool Controller chamber temp. & wiper counter	
17	11	Circuit Diagrams	Pool Controller power steps	
18	12	Circuit Diagrams	Pool Controller potential free contacts	
19	13	Circuit Diagrams	Pool Controller wiper relais	
20	14	Circuit Diagrams	Pool Controller UV sensor & flow sensor input	
21	15	Circuit Diagrams	Wiper control circuit	
22	1	Cable wire list	Cable wire list	
23	2	Cable wire list	Cable wire list	
24	3	Cable wire list	Cable wire list	
25	1	Cable-terminal connection list	Cable-terminal connection list	
26	2	Cable-terminal connection list	Cable-terminal connection list	
27	3	Cable-terminal connection list	Cable-terminal connection list	
28	4	Cable-terminal connection list	Cable-terminal connection list	

0	1	2	3	4	5	6	7	8	9	Notes







REV	DATE	DESCRIPTION	DRN	CHK

Aquaservice

TITLE:
AquaUV Pool Line
AQS-PL80
400V3L+N 50Hz
External layout front, side and bottom view

Project:

CUSTOMER: -

REFERENCE: -

FUNCTION: =PCM

LOCATION:

DRAWING N°: AQS-PL80_Pool_400V3LN REV: X00

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.

0	1	2	3	4	5	6	7	8	9



Notes

REV	DATE	DESCRIPTION	DRN	CHK

Aquaservice

TITLE:
AquaUV Pool Line
AQS-PL80
400V3L+N 50Hz
External layout rear view

Project:

CUSTOMER: -

REFERENCE: -

FUNCTION: =PCM

LOCATION:

DRAWING N°: AQS-PL80_Pool_400V3LN REV: X00

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.

0	1	2	3	4	5	6	7	8	9





Notes

REV	DATE	DESCRIPTION	DRN	CHK

Aquaservice

TITLE:
AquaUV Pool Line
AQS-PL80
400V3L+N 50Hz
Internal layout

Project:

CUSTOMER: -

REFERENCE: -

FUNCTION: =PCM

LOCATION:

DRAWING N°: AQS-PL80_Pool_400V3LN REV: X00

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.

0	1	2	3	4	5	6	7	8	9



Notes

REV	DATE	DESCRIPTION	DRN	CHK

Aquaservice

TITLE:
AquaUV Pool Line
AQS-PL80
400V3L+N 50Hz
Terminal layout

Project:

CUSTOMER: -

REFERENCE: -

FUNCTION: =PCM

LOCATION:

DRAWING N°: AQS-PL80_Pool_400V3LN REV: X00

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.



Notes

REV	DATE	DESCRIPTION	DRN	CHK

Aquaservice

TITLE:
AquaUV Pool Line
AQS-PL80
400V3L+N 50Hz
Main power supply

Project:

CUSTOMER: -

REFERENCE: -

FUNCTION: =PCM

LOCATION:

DRAWING N°: AQS-PL80_Pool_400V3LN REV: X00

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.



Notes

REV	DATE	DESCRIPTION	DRN	CHK

Aquaservice

TITLE:
AquaUV Pool Line
AQS-PL80
400V3L+N 50Hz
230Vac circuit and fans

Project:

CUSTOMER: -

REFERENCE: -

FUNCTION: =PCM

LOCATION:

DRAWING N°: AQS-PL80_Pool_400V3LN REV: X00

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.



Notes

REV	DATE	DESCRIPTION	DRN	CHK

Aquaservice

TITLE:
AquaUV Pool Line
AQS-PL80
400V3L+N 50Hz
24Vdc circuit

Project:

CUSTOMER: -

REFERENCE: -

FUNCTION: =PCM

LOCATION:

DRAWING N°: AQS-PL80_Pool_400V3LN REV: X00

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.



Notes

REV	DATE	DESCRIPTION	DRN	CHK

Aquaservice

TITLE:
AquaUV Pool Line
AQS-PL80
400V3L+N 50Hz
Lamp 1 circuit

Project:

CUSTOMER: -

REFERENCE: -

FUNCTION: =PCM

LOCATION:

DRAWING N°: AQS-PL80_Pool_400V3LN REV: X00

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.



Notes

REV	DATE	DESCRIPTION	DRN	CHK

Aquaservice

TITLE:
AquaUV Pool Line
AQS-PL80
400V3L+N 50Hz
Lamp 2 circuit

Project:

CUSTOMER: -

REFERENCE: -

FUNCTION: =PCM

LOCATION:

DRAWING N°: AQS-PL80_Pool_400V3LN REV: X00

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.



Notes

REV	DATE	DESCRIPTION	DRN	CHK

Aquaservice

TITLE:
AquaUV Pool Line
AQS-PL80
400V3L+N 50Hz
Lamp 3 circuit

Project:

CUSTOMER: -

REFERENCE: -

FUNCTION: =PCM

LOCATION:

DRAWING N°: AQS-PL80_Pool_400V3LN REV: X00

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.

0	1	2	3	4	5	6	7	8	9

6.9 Lamp Voltage - L1 → Lamp Voltage - L1

6.9 Lamp Voltage - L2 → Lamp Voltage - L2

6.9 Lamp Voltage - L3 → Lamp Voltage - L3

-X2 7 8

Notes

REV	DATE	DESCRIPTION	DRN	CHK

Aquaservice

TITLE:

AquaUV Pool Line

AQS-PL80

400V3L+N 50Hz

Spare

Project:

CUSTOMER: -

REFERENCE: -

FUNCTION: =PCM

LOCATION:

DRAWING N°: AQS-PL80_Pool_400V3LN REV: X00

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.



Notes



REV	DATE	DESCRIPTION	DRN	CHK

Aquaservice

TITLE:

AquaUV Pool Line

AQS-PL80

400V3L+N 50Hz

Pool Controller supply & current detection

Project:

CUSTOMER: -

REFERENCE: -

FUNCTION: =PCM

LOCATION:

DRAWING N°: AQS-PL80_Pool_400V3LN REV: X00

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.



Notes

REV	DATE	DESCRIPTION	DRN	CHK

Aquaservice

TITLE:
AquaUV Pool Line
AQS-PL80
400V3L+N 50Hz
Pool Controller Remote inputs & cabinet temp.

Project:

CUSTOMER: -

REFERENCE: -

FUNCTION: =PCM

LOCATION:

DRAWING N°: AQS-PL80_Pool_400V3LN REV: X00

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.



REV	DATE	DESCRIPTION	DRN	CHK

Aquaservice

TITLE:
AquaUV Pool Line
AQS-PL80
400V3L+N 50Hz
Pool Controller chamber temp. & wiper counter

Project:
CUSTOMER: -
REFERENCE: -
FUNCTION: =PCM
LOCATION:
DRAWING N°: AQS-PL80_Pool_400V3LN REV: X00

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.



Notes

REV	DATE	DESCRIPTION	DRN	CHK

Aquaservice

TITLE:
AquaUV Pool Line
AQS-PL80
400V3L+N 50Hz
Pool Controller power steps

Project:

CUSTOMER: -

REFERENCE: -

FUNCTION: =PCM

LOCATION:

DRAWING N°: AQS-PL80_Pool_400V3LN REV: X00

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.



Notes

REV	DATE	DESCRIPTION	DRN	CHK

Aquaservice

TITLE:
AquaUV Pool Line
AQS-PL80
400V3L+N 50Hz
Pool Controller potential free contacts

Project:

CUSTOMER: -

REFERENCE: -

FUNCTION: =PCM

LOCATION:

DRAWING N°: AQS-PL80_Pool_400V3LN REV: X00

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.

0	1	2	3	4	5	6	7	8	9



Notes

REV	DATE	DESCRIPTION	DRN	CHK

Aquaservice

TITLE:
AquaUV Pool Line
AQS-PL80
400V3L+N 50Hz
Pool Controller wiper relais

Project:

CUSTOMER: -

REFERENCE: -

FUNCTION: =PCM

LOCATION:

DRAWING N°: AQS-PL80_Pool_400V3LN REV: X00

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.



Notes

REV	DATE	DESCRIPTION	DRN	CHK

Aquaservice

TITLE:
AquaUV Pool Line
AQS-PL80
400V3L+N 50Hz
Pool Controller UV sensor & flow sensor input

Project:

CUSTOMER: -

REFERENCE: -

FUNCTION: =PCM

LOCATION:

DRAWING N°: AQS-PL80_Pool_400V3LN REV: X00

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.



Notes

REV	DATE	DESCRIPTION	DRN	CHK

Aquaservice

TITLE:
AquaUV Pool Line
AQS-PL80
400V3L+N 50Hz
Wiper control circuit

Project:

CUSTOMER: -

REFERENCE: -

FUNCTION: =PCM

LOCATION:

DRAWING N°: AQS-PL80_Pool_400V3LN REV: X00

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.

0	1	2	3	4	5	6	7	8	9

Function(=)/Location(+)	Connection 1	Section	Core	Color	Connection 2	Cable	Description	Type	Cable Type	Page	Path
=FIELD	=PCM-X2:1	2.5	1	BK	=CHAMBER-4E8:1	-4W8	Lamp 1 cable 1	1119952	ÖLFLEX® CLASSIC 110 2x2.5	4	8
=FIELD	=PCM-X2:2	2.5	1	BK	=CHAMBER-4E8:2	-4W9	Lamp 1 cable 2	1119952	ÖLFLEX® CLASSIC 110 2x2.5	4	9
=FIELD	=PCM-X2:3	2.5	1	BK	=CHAMBER-5E8:1	-5W8	Lamp 2 cable 1	1119952	ÖLFLEX® CLASSIC 110 2x2.5	5	8
=FIELD	=PCM-X2:4	2.5	1	BK	=CHAMBER-5E8:2	-5W9	Lamp 2 cable 2	1119952	ÖLFLEX® CLASSIC 110 2x2.5	5	9
=FIELD	=PCM-X2:5	2.5	1	BK	=CHAMBER-6E8:1	-6W8	Lamp 3 cable 1	1119952	ÖLFLEX® CLASSIC 110 2x2.5	6	8
=FIELD	=PCM-X2:6	2.5	1	BK	=CHAMBER-6E8:2	-6W9	Lamp 3 cable 2	1119952	ÖLFLEX® CLASSIC 110 2x2.5	6	9
=FIELD	=PCM-10B3:1	0.34	1	BN	=CHAMBER-10XP3:1	-10W3	Temp. sensor cable	22260457	AB-C4- 5,0PUR-M12FS-SH	10	3
=FIELD	=PCM-10B3:2	0.34	2	WH	=CHAMBER-10XP3:2	-10W3	Temp. sensor cable	22260457	AB-C4- 5,0PUR-M12FS-SH	10	3
=FIELD	=PCM-10B3:3	0.34	3	BU	=CHAMBER-10XP3:3	-10W3	Temp. sensor cable	22260457	AB-C4- 5,0PUR-M12FS-SH	10	3
=FIELD	=PCM-X5:2.2:E1	0.34	1	BN	=CHAMBER-14XP2:1	-14W2	UV sensor cable	22260457	AB-C4- 5,0PUR-M12FS-SH	14	2
=FIELD	=PCM-X5:2.2:E1	0.34	2	WH	=CHAMBER-14XP2:2	-14W2	UV sensor cable	22260457	AB-C4- 5,0PUR-M12FS-SH	14	2
=FIELD	=PCM-X5:3.3:E1	0.34	3	BU	=CHAMBER-14XP2:3	-14W2	UV sensor cable	22260457	AB-C4- 5,0PUR-M12FS-SH	14	2
=FIELD	=PCM-X5:3.3:E1	0.34	4	BK	=CHAMBER-14XP2:4	-14W2	UV sensor cable	22260457	AB-C4- 5,0PUR-M12FS-SH	14	2

Notes

REV	DATE	DESCRIPTION	DRN	CHK

Aquaservice

TITLE:
AquaUV Pool Line
AQS-PL80
400V3L+N 50Hz
Cable wire list

Project:

CUSTOMER: -

REFERENCE: -

FUNCTION: =FIELD

LOCATION:

DRAWING N°: AQS-PL80_Pool_400V3LN REV: X00

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.

0	1	2	3	4	5	6	7	8	9

Function(=)/Location(+)	Connection 1	Section	Core	Color	Connection 2	Cable	Description	Type	Cable Type	Page	Path
=FIELD +CHAMBER	=PCM-X8:1.1:E1	1.5	1	BK	=FIELD+CHAMBER-XJ:1	-15W3		7072404	Servo cable 4 G 1,5 + 2 x (2 x 0,75)	15	3
=FIELD +CHAMBER	=PCM-X8:1.2:E2	1.5	2	BK	=FIELD+CHAMBER-XJ:4	-15W3		7072404	Servo cable 4 G 1,5 + 2 x (2 x 0,75)	15	4
=FIELD +CHAMBER	=PCM-X8:2.3:E2	1.5	3	BK	=FIELD+CHAMBER-XJ:3	-15W3		7072404	Servo cable 4 G 1,5 + 2 x (2 x 0,75)	15	4
=FIELD +CHAMBER	=PCM-X8:3.PE:E1	1.5	4	GN/YE	=FIELD+CHAMBER-XJ:2	-15W3		7072404	Servo cable 4 G 1,5 + 2 x (2 x 0,75)	15	5
=FIELD +CHAMBER	=PCM-X8:4.5:E1	0.75	5	BK	=FIELD+CHAMBER-XJ:A	-15W3		7072404	Servo cable 4 G 1,5 + 2 x (2 x 0,75)	15	5
=FIELD +CHAMBER	=PCM-X8:4.6:E2	0.75	6	BK	=FIELD+CHAMBER-XJ:B	-15W3		7072404	Servo cable 4 G 1,5 + 2 x (2 x 0,75)	15	5
=FIELD +CHAMBER	=PCM-X8:5.7:E2	0.75	7	BK	=FIELD+CHAMBER-XJ:C	-15W3		7072404	Servo cable 4 G 1,5 + 2 x (2 x 0,75)	15	5
=FIELD +CHAMBER	=PCM-X8:5.8:E1	0.75	8	BK	=FIELD+CHAMBER-XJ:D	-15W3		7072404	Servo cable 4 G 1,5 + 2 x (2 x 0,75)	15	5

Notes

REV	DATE	DESCRIPTION	DRN	CHK

Aquaservice

TITLE:
AquaUV Pool Line
AQS-PL80
400V3L+N 50Hz
Cable wire list

Project:

CUSTOMER: -

REFERENCE: -

FUNCTION: =FIELD

LOCATION: +CHAMBER

DRAWING N°: AQS-PL80_Pool_400V3LN REV: X00

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.

0	1	2	3	4	5	6	7	8	9

Function(=)/Location(+)	Connection 1	Section	Core	Color	Connection 2	Cable	Description	Type	Cable Type	Page	Path
=PCM	=PCM-X3:6.7:E2	0.34	1	BN	=CHAMBER-XJ1:1	-10W5	Water Detectie Cable	7038887	Lif9YC11Y 5 x 0.34	10	5
=PCM	=PCM-X3:6.8:E1	0.34	2	WH	=CHAMBER-XJ1:2	-10W5	Water Detectie Cable	7038887	Lif9YC11Y 5 x 0.34	10	5
=PCM	=PCM-X3:7.9:E2	0.34	3	BU	=CHAMBER-XJ1:3	-10W5	Water Detectie Cable	7038887	Lif9YC11Y 5 x 0.34	10	5
=PCM	=PCM-X3:7.10:E1	0.34	4	BK	=CHAMBER-XJ1:4	-10W5	Water Detectie Cable	7038887	Lif9YC11Y 5 x 0.34	10	5

Notes

REV	DATE	DESCRIPTION	DRN	CHK

Aquaservice

TITLE:

AquaUV Pool Line

AQS-PL80

400V3L+N 50Hz

Cable wire list

Project:

CUSTOMER: -

REFERENCE: -

FUNCTION: =PCM

LOCATION:

DRAWING N°: AQS-PL80_Pool_400V3LN REV: X00

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.



Notes

REV	DATE	DESCRIPTION	DRN	CHK

Aquaservice

TITLE:
AquaUV Pool Line
AQS-PL80
400V3L+N 50Hz
Cable-terminal connection list

Project:

CUSTOMER: -

REFERENCE: -

FUNCTION: =FIELD

LOCATION:

DRAWING N°: AQS-PL80_Pool_400V3LN REV: X00

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.



Notes

REV	DATE	DESCRIPTION	DRN	CHK

Aquaservice

TITLE:
AquaUV Pool Line
AQS-PL80
400V3L+N 50Hz
Cable-terminal connection list

Project:

CUSTOMER: -

REFERENCE: -

FUNCTION: =FIELD

LOCATION:

DRAWING N°: AQS-PL80_Pool_400V3LN REV: X00

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.



Notes

REV	DATE	DESCRIPTION	DRN	CHK

Aquaservice

TITLE:
AquaUV Pool Line
AQS-PL80
400V3L+N 50Hz
Cable-terminal connection list

Project:

CUSTOMER: -

REFERENCE: -

FUNCTION: =FIELD

LOCATION: +CHAMBER

DRAWING N°: AQS-PL80_Pool_400V3LN REV: X00

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.

0	1	2	3	4	5	6	7	8	9	Notes



REV	DATE	DESCRIPTION	DRN	CHK

Aquaservice

TITLE:
AquaUV Pool Line
AQS-PL80
400V3L+N 50Hz
Cable-terminal connection list

Project:

CUSTOMER: -

REFERENCE: -

FUNCTION: =PCM

LOCATION:

DRAWING N°: AQS-PL80_Pool_400V3LN REV: X00

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE MANUFACTURER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER IS PROHIBITED.